INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 13, 1973

SUBJECT INDEX

Acoustic Emission and Stress Corrosion Cracking of U-4½wt%Nb—N. J. Magnani, 526-530 (Dec.).
Acoustic-emission Detection Techniques for High-cycle-fatigue Testing—S. Smith and T. Morton, 193-198 (May).
Alleviation of the Stress Concentration with Analogue Reinforcement—R. A. Heller and T. Chiba, 519-525 (Dec.).
Application of Strip Strain Gages for Measuring Residual Surface Stresses in Beryllium, The—G. R. Dittbenner, 493-496 (Nov.).
Automobile Collisions with Breakaway Obstacles, Scale Models of—R. I. Emori, 64-69 (Feb.).

Basic Considerations for Simulation of Vibration Environments—W. Tustin, 390-396 (Sept.).
Beams, Broken—S. B. Menkes and H. J. Opat, 480-486 (Nov.).
Birefringent Composite Materials, On the Fiber-reinforced—R. B. Pipes and J. W. Dalley, 348-349 (Aug.).
Brittle Fracture of Precompressed Steel as Affected by Hydrostatic Pressure, Temperature and Strain Concentration—R. H. Hawley and D. C. Drucker, 1-6 (Jan.).
Broken Beams—S. B. Menkes and H. J. Opat, 480-486 (Nov.).
Buckling and Vibration of a Thin Tensioned Sheet with an Elliptical Hole—P. K. Datta and R. L. Carlson, 280-286 (July).
Buckling of Internally Pressurized Tubes, Inelastic Column—J. B. Newman, 265-272 (July).

Combined-loading Technique, Nondestructive Shell-stability Estimation by a—J. I. Craig and M. F. Duggan, 381-388 (Sept.).
Comparison of Fatigue Effects in Simulated and Actual Earthquakes—E. G. Fischer and F. H. Wolff, 531-538 (Dec.).
Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic Composite, A—F. H. Shipman, S. J. Green and R. M. Griffin, 172-176 (April).
Composite, A Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic—F. H. Shipman, S. J. Green and R. M. Griffin, 172-176 (April).
Composite Materials, On the Fiber-reinforced Birefringent—R. B. Pipes and J. W. Dalley, 348-349 (Aug.).
Composite Plate with a Circular Hole, Stress and Failure Analysis of a Glass-Epoxy—R. E. Rowlands, I. M. Daniel and J. B. Whiteside, 31-37 (Jan.).
Composites by Moiré Methods, Strain Analysis of—I. M. Daniel, R. E. Rowlands and D. Post, 246-252 (June).
Composites, Three-dimensional Scattered-light Stress Analysis of Discontinuous Fiber-reinforced—D. R. Sutliff and H. Pih, 294-298 (July).
Considerations for Instrumentation of Typical Dynamic Tests—K. D. Ives, 213-219 (May).
Cornea, Viscoelastic Properties of Human—A. S. Kobayashi, L. G. Staberg and W. A. Schlegel, 497-503 (Dec.).
Creep and Fatigue for a Rotor Steel, The Interaction of—M. M. Leven, 353-372 (Sept.).
Creep and Relaxation of Several Metals, Evaluation of Multiaxial Theories for Room-temperature Plasticity and Elevated-temperature—O. M. Sidebottom, 14-23 (Jan.).
Creep, X-ray-diffraction Approach for Studies on Fatigue and—S. Taira, 449-463 (Nov.).
Cylinders Subjected to Nonproportionate Loading, Inelastic Behavior of Thick-walled—S. C. Chu and J. D. Vasilakis, 113-119 (March).
Cylindrical Shells Under Hydrostatic Pressure, Experiments on the Postbuckling Behavior of Circular—N. Yamaki and K. Otomo, 299-304 (July).

Determination of Integral Fringe Order in Photoelasticity—L. S. Srinath and A. V. S. S. S. R. Sarma, 138-141 (March).
Determination of Mode I Stress-intensity Factors by Holographic Interferometry, The—T. D. Dudderar and H. J. Gorman, 145-149 (April).
Differential Stress-Holo-Interferometry—R. J. Sanford, 330-338 (Aug.).
Diffractography vs. Holography—A Stress Analyst's Comparison—T. R. Pryor, O. L. Hageniers and W. P. T. North, 220-224 (May).
Dual-beam Polariscope and Framing Camera for Dynamic Photoelasticity—P. D. Flynn, 178-184 (April).
Dynamic Moiré Methods for the Bending of Plates—F. P. Chiang and G. Jaisingh, 168-171 (April).
Dynamic-strain Measurements, An Improved Method of Triggering Oscilloscopes for—S. Ranganath, 397-400 (Sept.).
Dynamic Stress, A Sandwich-transducer Technique for Measurement of Internal—R. G. Dragnich and C. A. Calder, 199-203 (May).

Earthquakes, Comparison of Fatigue Effects in Simulated and Actual—E. G. Fischer and F. H. Wolff, 531-538 (Dec.).
Effect of End Attachment on the Strength of Fiber-reinforced Composite Cylinders—J. M. Whitney, G. S. Grimes and P. H. Francis, 185-192 (May).
Effect of Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, The—S. C. Chou, K. D. Robertson and J. H. Rainey, 422-432 (Oct.).
Effects of Out-of-phase Biaxial-strain Cycling on Low-cycle Fatigue, The—S. Y. Zamrik and R. E. Frishmuth, 204-208 (May).
Elastic-wave Propagation in a Joined Cylindrical-Conical-Cylindrical Shell—J. L. Rose, R. W. Mortimer and A. Bium, 150-156 (April).
Elastoplastic Strain Distribution Around an Oblique Aperture in Plates—F. Ellyin, 305-312 (July).
Elastoplastic Stress Analysis, A Photomechanics Material for—Discussion by S. M. Sathikh, 389 (Sept.).
Electromagnetic, Plane Stress-wave Generator, An—R. F. Snell, D. C. MacKallor, Jr. and R. Guernsey, 472-479 (Nov.).

SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE-P.O. BOX 277, SAUGATUCK STA., WESTPORT, CT 06880

INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 13, 1973

SUBJECT INDEX

Acoustic Emission and Stress Corrosion Cracking of U-4½wt%Nb—N. J. Magnani, 526-530 (Dec.).
Acoustic-emission Detection Techniques for High-cycle-fatigue Testing—S. Smith and T. Morton, 193-198 (May).
Alleviation of the Stress Concentration with Analogue Reinforcement—R. A. Heller and T. Chiba, 519-525 (Dec.).
Application of Strip Strain Gages for Measuring Residual Surface Stresses in Beryllium, The—G. R. Dittbenner, 493-496 (Nov.).
Automobile Collisions with Breakaway Obstacles, Scale Models of—R. I. Emori, 64-69 (Feb.).

Basic Considerations for Simulation of Vibration Environments—W. Tustin, 390-396 (Sept.).
Beams, Broken—S. B. Menkes and H. J. Opat, 480-486 (Nov.).
Birefringent Composite Materials, On the Fiber-reinforced—R. B. Pipes and J. W. Dalley, 348-349 (Aug.).
Brittle Fracture of Precompressed Steel as Affected by Hydrostatic Pressure, Temperature and Strain Concentration—R. H. Hawley and D. C. Drucker, 1-6 (Jan.).
Broken Beams—S. B. Menkes and H. J. Opat, 480-486 (Nov.).
Buckling and Vibration of a Thin Tensioned Sheet with an Elliptical Hole—P. K. Datta and R. L. Carlson, 280-286 (July).
Buckling of Internally Pressurized Tubes, Inelastic Column—J. B. Newman, 265-272 (July).

Combined-loading Technique, Nondestructive Shell-stability Estimation by a—J. I. Craig and M. F. Duggan, 381-388 (Sept.).
Comparison of Fatigue Effects in Simulated and Actual Earthquakes—E. G. Fischer and F. H. Wolff, 531-538 (Dec.).
Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic Composite, A—F. H. Shipman, S. J. Green and R. M. Griffin, 172-176 (April).
Composite, A Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic—F. H. Shipman, S. J. Green and R. M. Griffin, 172-176 (April).
Composite Materials, On the Fiber-reinforced Birefringent—R. B. Pipes and J. W. Dalley, 348-349 (Aug.).
Composite Plate with a Circular Hole, Stress and Failure Analysis of a Glass-Epoxy—R. E. Rowlands, I. M. Daniel and J. B. Whiteside, 31-37 (Jan.).
Composites by Moiré Methods, Strain Analysis of—I. M. Daniel, R. E. Rowlands and D. Post, 246-252 (June).
Composites, Three-dimensional Scattered-light Stress Analysis of Discontinuous Fiber-reinforced—D. R. Sutliff and H. Pih, 294-298 (July).
Considerations for Instrumentation of Typical Dynamic Tests—K. D. Ives, 213-219 (May).
Cornea, Viscoelastic Properties of Human—A. S. Kobayashi, L. G. Staberg and W. A. Schlegel, 497-503 (Dec.).
Creep and Fatigue for a Rotor Steel, The Interaction of—M. M. Leven, 353-372 (Sept.).
Creep and Relaxation of Several Metals, Evaluation of Multiaxial Theories for Room-temperature Plasticity and Elevated-temperature—O. M. Sidebottom, 14-23 (Jan.).
Creep, X-ray-diffraction Approach for Studies on Fatigue and—S. Taira, 449-463 (Nov.).
Cylinders Subjected to Nonproportionate Loading, Inelastic Behavior of Thick-walled—S. C. Chu and J. D. Vasilakis, 113-119 (March).
Cylindrical Shells Under Hydrostatic Pressure, Experiments on the Postbuckling Behavior of Circular—N. Yamaki and K. Otomo, 299-304 (July).

Determination of Integral Fringe Order in Photoelasticity—L. S. Srinath and A. V. S. S. S. R. Sarma, 138-141 (March).
Determination of Mode I Stress-intensity Factors by Holographic Interferometry, The—T. D. Dudderar and H. J. Gorman, 145-149 (April).
Differential Stress-Holo-Interferometry—R. J. Sanford, 330-338 (Aug.).
Diffractography vs. Holography—A Stress Analyst's Comparison—T. R. Pryor, O. L. Hageniers and W. P. T. North, 220-224 (May).
Dual-beam Polariscope and Framing Camera for Dynamic Photoelasticity—P. D. Flynn, 178-184 (April).
Dynamic Moiré Methods for the Bending of Plates—F. P. Chiang and G. Jaisingh, 168-171 (April).
Dynamic-strain Measurements, An Improved Method of Triggering Oscilloscopes for—S. Ranganath, 397-400 (Sept.).
Dynamic Stress, A Sandwich-transducer Technique for Measurement of Internal—R. G. Dragnich and C. A. Calder, 199-203 (May).

Earthquakes, Comparison of Fatigue Effects in Simulated and Actual—E. G. Fischer and F. H. Wolff, 531-538 (Dec.).
Effect of End Attachment on the Strength of Fiber-reinforced Composite Cylinders—J. M. Whitney, G. S. Grimes and P. H. Francis, 185-192 (May).
Effect of Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, The—S. C. Chou, K. D. Robertson and J. H. Rainey, 422-432 (Oct.).
Effects of Out-of-phase Biaxial-strain Cycling on Low-cycle Fatigue, The—S. Y. Zamrik and R. E. Frishmuth, 204-208 (May).
Elastic-wave Propagation in a Joined Cylindrical-Conical-Cylindrical Shell—J. L. Rose, R. W. Mortimer and A. Bium, 150-156 (April).
Elastoplastic Strain Distribution Around an Oblique Aperture in Plates—F. Ellyin, 305-312 (July).
Elastoplastic Stress Analysis, A Photomechanics Material for—Discussion by S. M. Sathikh, 389 (Sept.).
Electromagnetic, Plane Stress-wave Generator, An—R. F. Snell, D. C. MacKallor, Jr. and R. Guernsey, 472-479 (Nov.).

SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE-P.O. BOX 277, SAUGATUCK STA., WESTPORT, CT 06880

Epoxy Oversized Models of Strands To Axial and Torsional Loads, Response of—A. J. Durelli and S. Machida, 313-321 (Aug.).
Epoxy Specimens to High Rates of Tensile Loading, Response of Glass-fiber-reinforced—A. E. Armenàkas and C. A. Sciammarella, 433-440 (Oct.).
Evaluation of Finite-plasticity Theories for Torsion–Tension Members Made of Tresca Materials—O. M. Sidebottom and R. K. Bhattacharyya, 238-245 (June).
Evaluation of Multiaxial Theories for Room-temperature Plasticity and Elevated-temperature Creep and Relaxation of Several Metals —O. M. Sidebottom, 14-23 (Jan.).
Examination of Dynamic Fracture under Biaxial-strain Conditions, An—R. M. Schmidt and I. M. Fyfe, 163-167 (Arpil).
Experimental Information, Higher-order Numerical Differentiation of —R. E. Rowlands, T. Liber, I. M. Daniel and P. G. Rose, 105-112 (March).
Experimental Investigation of the Failure Mechanism of Fiber-reinforced Composites Subjected to Uniaxial Tension—A. E. Armenàkas and C. A. Sciammarella, 49-58 (Feb.).
Experimental Stress Analysis by Photo-rheologic Method—Y. Ohashi, 287-293 (July).
Experiments on Free Vibration of Shells of Revolution—P. G. Glockner and K. Z. Tawadros, 411-421 (Oct.).
Experiments on the Postbuckling Behavior of Circular Cylindrical Shells Under Hydrostatic Pressure—N. Yamaki and K. Otomo, 299-304 (July).

Fatigue and Creep, X-ray-diffraction Approach for Studies on—S. Taira, 449-463 (Nov.).
Fatigue-damage Indicators, Predicting Failures with Conducting-polymer—B. A. Panizza and J. W. Dally, 7-13 (Jan.).
Fatigue Effects in Simulated and Actual Earthquakes, Comparison of —E. G. Fischer and F. H. Wolff, 531-538 (Dec.).
Fatigue for a Rotor Steel, The Interaction of Creep and—M. M. Leven, 353-372 (Sept.).
Fatigue Testing, Acoustic-emission Detection Techniques for High-cycle—S. Smith and T. Morton, 193-198 (May).
Fatigue, The Effects of Out-of-phase Biaxial-strain Cycling on Low-cycle—S. Y. Zamrik and R. E. Frishmuth, 204-208 (May).
Fiber-reinforced Composite Cylinders, Effect of End Attachment on the Strength of—J. M. Whitney, G. S. Grimes and P. H. Francis, 185-192 (May).
Fiber-reinforced Composites Subjected to Uniaxial Tension, Experimental Investigation of the Failure Mechanism of—A. E. Armenàkas and C. A. Sciammarella, 49-58 (Feb.).
Finite-element Analysis of a Quadripartite Vault, Photoelastic and—R. Mark, J. F. Abel and K. O'Neill, 322-329 (Aug.).
Finite-element Investigation of a Nonsymmetrical Plug-hatch Configuration, A Photoelastic and—A. R. Hunter and J. Skogh, 132-137 (March).
Finite-plasticity Theories for Torsion–Tension Members Made of Tresca Materials, Evaluation of—O. M. Sidebottom and R. K. Bhattacharyya, 238-245 (June).
Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading, Normalized Stresses Around an Elliptic Hole in a—A. J. Durelli, V. J. Parks, V. J. Lopardo and T. L. Chen, 441-444 (Oct.).
Flow Separation Through Annular Constrictions in Tubes—C. Golia and N. A. Evans, 157-162 (April).
Fracture Control: Past, Present and Future—A. A. Wells, 401-410 (Oct.).
Fracture Mechanics, Use of Three-dimensional Photoelasticity in—C. W. Smith, 539-544 (Dec.).
Fracture under Biaxial-strain Conditions, An Examination of Dynamic —R. M. Schmidt and I. M. Fyfe, 163-167 (April).

Glass-fiber-reinforced Epoxy Specimens to High Rates of Tensile Loading, Response of—A. E. Armenàkas and C. A. Sciammarella, 433-440 (Oct.).
Gun Barrels, A Simple Transducer for Detecting Projectiles in—P. D. Flynn, J. T. Gilbert and E. A. Webster, Jr., 350-352 (Aug.).

Higher-order Numerical Differentiation of Experimental Information —R. E. Rowlands, T. Liber, I. M. Daniel and P. G. Rose, 105-112 (March).
Hole-drilling Technique: Modifications in the Analysis of Residual Stresses—B. P. Gupta, 45-48 (Jan.).
Holographic Interferometry, The Determination of Mode I Stress-intensity Factors by—T. D. Dudderar and H. J. Gorman, 145-149 (April).
Holography—A Stress Analyst's Comparison, Diffractography vs.—T. R. Pryor, O. L. Hageniers and W. P. T. North, 220-224 (May),
Holography, Vibration Analysis of Plates by Real-time Stroboscopic—C. R. Hazell and S. D. Liem, 339-344 (Aug.).
Holo-Interferometry, Differential Stress—R. J. Sanford, 330-338 (Aug.).

Impact-force Source and Impact-force Calibrator—R. L. Lyon and J. L. Zable, 257-264 (June).
Improved Method of Triggering Oscilloscopes for Dynamic-strain Measurements, An—S. Ranganath, 397-400 (Sept.).
Inelastic Behavior of Thick-walled Cylinders Subjected to Nonproportionate Loading—S. C. Chu and J. D. Vasilakis, 113-119 (March).
Inelastic Column Buckling of Internally Pressurized Tubes—J. B. Newman, 265-272 (July).
Instrumentation of Typical Dynamic Tests, Considerations for—K. D. Ives, 213-219 (May).
Interaction of Creep and Fatigue for a Rotor Steel, The—M. M. Leven, 353-372 (Sept.).
Interferometric Methods in Three-dimensional Photoelasticity, On the Limitations of—R. J. Sanford and V. J. Parks, 464-471 (Nov.).
Interferometry, Differential Stress-Holo—R. J. Sanford, 330-338 (Aug.).

Joint Displacements, A Technique for Determination of Two-dimensional—B. E. Lazar 86-87 (Feb.).

Limitations of Interferometric Methods in Three-dimensional Photoelasticity, On the—R. J. Sanford and V. J. Parks, 464-471 (Nov.).
Log-Art as a Means of Humanization—A. J. Durelli, 232-237 (June).

Measuring Poisson's Ratios in Wood—Discussion by P. A. Laura, 177 (April).
Method of Determining Complex Moduli of Viscoelastic Materials, A —G. W. Laird and H. B. Kingsbury, 126-131 (March).
Method To Shift Moiré Fringes Using Gap Effect, A—F. P. Chiang and and R. M. Juang, 209-211 (May).
Moiré-fringe Measurement—A. M. Khalil and P. Fazio, 253-254 (June).
Moiré Fringes Using Gap Effect, A Method To Shift—F. P. Chiang and R. M. Juang, 209-211 (May).
Moiré Methods for the Bending of Plates, Dynamic—F. P. Chiang and G. Jaisingh, 168-171 (April).
Moiré Methods, Strain Analysis of Composites by—I. M. Daniel, R. E. Rowlands and D. Post, 246-252 (June).
Multiaxial-stress Studies on Rigid Polyurethane Foam—M. Zaslawsky, 70-76 (Feb.).

Nondestructive Shell-stability Estimation by a Combined-loading Technique—J. I. Craig and M. F. Duggan, 381-388 (Sept.).
Nonlinear Characterization of Sand-asphalt Concrete by Means of Permanent-memory Norms—J. E. Fitzgerald and J. Vakili, 504-510 (Dec.).
Normalized Stresses Around an Elliptic Hole in a Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading—A. J. Durelli, V. J. Parks, V. J. Lopardo and T. L. Chen, 441-444 (Oct.).

Obtaining Derivatives from Experimental Data Using Smoothed-spline Functions—D. G. Berghaus and J. P. Cannon, 38-42 (Jan.).
On the Effect of Rotating Secondary Principal Stresses in Scattered-light Photoelasticity—J. Cernosek, 273-279 (July).
On the Fiber-reinforced Birefringent Composite Materials—R. B. Pipes and J. W. Dalley, 348-349 (Aug.).
On the Use of Photoelastic Composite Models—J. L. Rose, 59-63 (Feb.).
Optical Techniques for Strain Determination, Some Aspects of the—W. Schumann, 225-231 (June).
Overdetermined Photoelastic Solutions Using Least Squares—D. G. Berghaus, 97-104 (March).

Permanent-memory Norms, Nonlinear Characterization of Sand-asphalt Concrete by Means of—J. E. Fitzgerald and J. Vakili, 504-510 (Dec.).
Photoelastic and Finite-element Analysis of a Quadripartite Vault—R. Mark, J. F. Abel and K. O'Neill, 322-329 (Aug.).
Photoelastic and Finite-element Investigation of a Nonsymmetrical Plug-hatch Configuration, A—A. R. Hunter and J. Skogh, 132-137 (March).
Photoelastic Composite Models, On the Use of—J. L. Rose, 59-63 (Feb.).
Photoelastic Solutions Using Least Squares, Overdetermined—D. G. Berghaus, 97-104 (March).
Photoelasticity, Determination of Integral Fringe Order in—L. S. Srinath and A. V. S. S. S. R. Sarma, 138-141 (March).
Photoelasticity, Dual-beam Polariscope and Framing Camera for Dynamic—P. D. Flynn, 178-184 (April).
Photoelasticity in Fracture Mechanics, Use of Three-dimensional—C. W. Smith, 539-544 (Dec.).
Photoelasticity, On the Effect of Rotating Secondary Principal Stresses in Scattered-light—J. Cernosek, 273-279 (July).
Photomechanics Material for Elastoplastic Stress Analysis, A—Discussion by S. M. Sathikh, 389 (Sept.).
Photo-rheologic Method, Experimental Stress Analysis by—Y. Ohashi, 287-293 (July).
Plasticity and Elevated-temperature Creep and Relaxation of Several Metals, Evaluation of Multiaxial Theories for Room-temperature —O. M. Sidebottom, 14-23 (Jan.).
Plastics, The Effect of Strain Rate and Heat Developed During Deformation on the Stress–Strain Curve of—S. C. Chou, K. D. Robertson and J. H. Rainey, 422-432 (Oct.).
Plates, Elastoplastic Strain Distribution Around an Oblique Aperture in—F. Ellyin, 305-312 (July).
Poisson's Ratios in Wood, Measuring—Discussion by P. A. Laura, 177 (April).
Polariscope and Framing Camera for Dynamic Photoelasticity, Dual-beam—P. D. Flynn, 178-184 (April).
Polyurethane Foam, Multiaxial-stress Studies on Rigid—M. Zaslawsky, 70-76 (Feb.).
Postbuckling Behavior of Circular Cylindrical Shells Under Hydrostatic Pressure, Experiments on the—N. Yamaki and K. Otomo, 299-304 (July).
Predicting Failures with Conducting-polymer Fatigue-damage Indicators—G. A. Panizza and J. W. Dally, 7-13 (Jan.).
Pressure Effects on the Response of Foil Strain Gages—R. N. Schock and A. G. Duba, 43-44 (Jan.).
Probe for Measurement of Strains Inside Solid Bodies—V. Wilhelmy and H. Kubler, 142-144 (March).

Quarterwave Plate, Towards the Achromatic—J. Cernosek, 83-85 (Feb.).

Residual-stress Measurement by the Sectioning Method—N. Tebedge, G. Alpsten and L. Tall, 88-96 (Feb.).
Residual-stress Measurement Using Surface Displacements Around an Indentation—J. H. Underwood, 373-380 (Sept.).
Residual Stresses, Hole-drilling Technique: Modifications in the Analysis of—B. P. Gupta, 45-48 (Jan.).
Residual Surface Stresses in Beryllium, The Application of Strip Strain Gages for Measuring—G. R. Dittbenner, 493-496 (Nov.).
Response of Epoxy Oversized Models of Strands To Axial and Torsional Loads—A. J. Durelli and S. Machida, 313-321 (Aug.).
Response of Glass-fiber-reinforced Epoxy Specimens to High Rates of Tensile Loading—A. E. Armenàkas and C. A. Sciammarella, 433-440 (Oct.).

Sandwich-transducer Technique for Measurement of Internal Dynamic Stress, A—R. G. Dragnich and C. A. Calder, 199-203 (May).
Scale Models of Automobile Collisions with Breakaway Obstacles—R. I. Emori, 64-69 (Feb.).
Scattered-light Photoelasticity, On the Effect of Rotating Secondary Principal Stresses in—J. Cernosek, 273-279 (July).
Scattered-light Stress Analysis of Discontinuous Fiber-reinforced Composites, Three-dimensional—D. R. Sutliff and H. Pih, 294-298 (July).
Sheet with an Elliptical Hole, Buckling and Vibration of a Thin Tensioned—P. K. Datta and R. L. Carlson, 280-286 (July).
Shell, Elastic-wave Propagation in a Joined Cylindrical–Conical–Cylindrical—J. L. Rose, R. W. Mortimer and A. Blum, 150-156 (April).

Shell-stability Estimation by a Combined-loading Technique, Non-destructive—J. I. Craig and M. F. Duggan, 381-388 (Sept.).
Shells of Revolution, Experiments on Free Vibration of—P. G. Glockner and K. Z. Tawadros, 411-421 (Oct.).
Shells, Stresses Around Elliptic Holes in Circular Cylindrical—D. N. Pierce and S. I. Chou, 487-492 (Nov.).
Shells, Vibrations of Segmented—M. Lashkari and V. I. Weingarten, 120-125 (March).
Simple Transducer for Detecting Projectiles in Gun Barrels, A—P. D. Flynn, J. T. Gilbert and E. A. Webster, Jr., 350-352 (Aug.).
Smoothed-spline Functions, Obtaining Derivatives from Experimental Data Using—D. G. Berghaus and J. P. Cannon, 38-42 (Jan.).
Some Aspects of the Optical Techniques for Strain Determination—W. Schumann, 225-231 (June).
Some Dynamic Properties of Axially Loaded Wire Ropes—H. H. Vanderveldt, B. S. Chung and W. T. Reader, 24-30 (Jan.).
Spread of Yield with Mild Steel—R. I. Mair and E. E. Banks, 77-82 (Feb.).
Steel, Spread of Yield with Mild—R. I. Mair and E. E. Banks, 77-82 (Feb.).
Strain Analysis of Composites by Moiré Methods—I. M. Daniel, R. E. Rowlands and D. Post, 246-252 (June).
Strain Concentration, Brittle Fracture of Precompressed Steel as Affected by Hydrostatic Pressure, Temperature and—R. H. Hawley and D. C. Drucker, 1-6 (Jan.).
Strain Determination, Some Aspects of the Optical Techniques for—W. Schumann, 225-231 (June).
Strain-gage Instrumentation, Trends in Flight-test—R. W. Troke, 445-448 (Oct.).
Strain Gages for Measuring Residual Surface Stresses in Beryllium, The Application of Strip—G. R. Dittbenner, 493-496 (Nov.).
Strain Gages, Pressure Effects on the Response of Foil—R. N. Schock and A. G. Duba, 43-44 (Jan.).
Strain Measurements in Regions of High Strain Gradients—C. L. Mehrotra and A. N. Singh, 345-347 (Aug.).
Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, the Effect of—S. C. Chou, K. D. Robertson and J. H. Rainey, 422-432 (Oct.).
Strains Inside Solid Bodies, Probe for Measurement of—V. Wilhelmy and H. Kubler, 142-144 (March).
Strands To Axial and Torsional Loads, Response of Epoxy Oversized Models of—A. J. Durelli and S. Machida, 313-321 (Aug.).
Stress and Failure Analysis of a Glass-Epoxy Composite Plate with a Circular Hole—R. E. Rowlands, I. M. Daniel and J. B. Whiteside, 31-37 (Jan.).
Stress Concentration with Analogue Reinforcement, Alleviation of the—R. A. Heller and T. Chiba, 519-525 (Dec.).
Stress Concentrations in Tensile Strips with Large Circular Holes—Discussion by H. Fuehring, 225-256 (June).
Stress-corrosion Cracking of U-4½ wt%Nb, Acoustic Emission and—N. J. Magnani, 526-530 (Dec.).
Stress Singularities at Concentrated Loads—P. S. Theocaris, 511-518 (Dec.).
Stress-wave Generator, An Electromagnetic, Plane—R. F. Snell, D. C. MacKallor, Jr. and R. Gurnsey, 472-479 (Nov.).
Stresses Around Elliptic Holes in Circular Cylindrical Shells—D. N. Pierce and S. I. Chou, 487-492 (Nov.).
Stroboscopic Holography, Vibration Analysis of Plates by Real-time—C. R. Hazell and S. D. Liem, 339-344 (Aug.).
Surface Displacements Around an Indentation, Residual-stress Measurement Using—J. H. Underwood, 373-380 (Sept.).

Technique for Determination of Two-dimensional Joint Displacements, A—B. E. Lazar, 86-87 (Feb.).
Three-dimensional Photoelasticity in Fracture Mechanics, Use of—C. W. Smith, 539-544 (Dec.).
Three-dimensional Scattered-light Stress Analysis of Discontinuous Fiber-reinforced Composites—D. R. Sutliff and H. Pih, 294-298 (July).
Towards the Achromatic Quarterwave Plate—J. Cernosek, 83-85 (Feb.).
Transducer for Detecting Projectiles in Gun Barrels, A Simple—P. D. Flynn, J. T. Gilbert and E. A. Webster, Jr., 350-352 (Aug.).
Transient Stresses in Axisymmetric Bodies of Varying Area—Discussion by P. A. Laura, 212 (May).
Trends in Flight-test Strain-gage Instrumentation—R. W. Troke, 445-448 (Oct.).
Tubes, Flow Separation Through Annular Constrictions in—C. Golia and N. A. Evans, 157-162 (April).
Tubes, Inelastic Column Buckling of Internally Pressurized—J. B. Newman, 265-272 (July).

Use of Three-dimensional Photoelasticity in Fracture Mechanics—C. W. Smith, 539-544 (Dec.).

Vibration Analysis of Plates by Real-time Stroboscopic Holography—C. R. Hazell and S. D. Liem, 339-344 (Aug.).
Vibration Environments, Basic Considerations for Simulation of—W. Tustin, 390-396 (Sept.).
Vibration of a Thin Tensioned Sheet with an Elliptical Hole, Buckling and—P. K. Datta and R. L. Carlson, 280-286 (July).
Vibrations of Segmented Shells—M. Lashkari and V. I. Weingarten, 120-125 (March).
Viscoelastic Materials, A Method of Determining Complex Moduli of—G. W. Laird and H. B. Kingsbury, 126-131 (March).
Viscoelastic Properties of Human Cornea—A. S. Kobayashi, L. G. Staberg and W. A. Schlegel, 497-503 (Dec.).

Wire Ropes, Some Dynamic Properties of Axially Loaded—H. H. Vanderveldt, B. S. Chung and W. T. Reader, 24-30 (Jan.).

X-ray-diffraction Approach for Studies on Fatigue and Creep—S. Taira, 449-463 (Nov.).

AUTHOR INDEX

Alpsten, G.—Residual-stress Measurement by the Sectioning Method, 88-96 (Feb.).
Armenàkas, A. E.—Experimental Investigation of the Failure Mechanism of Fiber-reinforced Composites Subjected to Uniaxial Tension, 49-58 (Feb.).
Armenàkas, A. E.—Response of Glass-fiber-reinforced Epoxy Specimens to High Rates of Tensile Loading, 433-440 (Oct.).

Banks, E. E.—Spread of Yield with Mild Steel, 77-82 (Feb.).
Berghaus, D. G.—Obtaining Derivatives from Experimental Data Using Smoothed-spline Functions, 38-42 (Jan.).
Berghaus, D. G.—Overdetermined Photoelastic Solutions Using Least Squares, 97-105 (March).
Bhattacharyya, R. K.—Evaluation of Finite-plasticity Theories for Torsion–Tension Members Made of Tresca Materials, 238-245 (June).
Blum, A.—Elastic-wave Propagation in a Joined Cylindrical–Conical–Cylindrical Shell, 150-157 (April).

Calder, C. A.—A Sandwich-transducer Technique for Measurement of Internal Dynamic Stress, 199-203 (May).
Cannon, J. P.—Obtaining Derivatives from Experimental Data Using Smoothed-spline Functions, 38-42 (Jan.).
Carlson, R. L.—Buckling and Vibration of a Thin Tensioned Sheet with an Elliptical Hole, 280-286 (July).
Cernosek, J.—On the Effect of Rotating Secondary Principal Stresses in Scattered-light Photoelasticity, 273-279 (July).
Cernosek, J.—Towards the Achromatic Quarterwave Plate, 83-85 (Feb.).
Chen, T. L.—Normalized Stresses Around an Elliptic Hole in a Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading, 441-444 (Oct.).
Chiang, F. P.—A Method To Shift Moiré Fringes Using Gap Effect, 209-211 (May).
Chiang, F. P.—Dynamic Moiré Methods for the Bending of Plates, 168-169 (April).
Chiba, T.—Alleviation of the Stress Concentration with Analogue Reinforcement, 519-525 (Dec.).
Chou, S. C.—The Effect of Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, 422-432 (Oct.).
Chou, S. I.—Stresses Around Elliptic Holes in Circular Cylindrical Shells, 487-492 (Nov.).
Chu, S. C.—Inelastic Behavior of Thick-walled Cylinders Subjected to Nonproportionate Loading, 113-119 (March).
Chung, B. S.—Some Dynamic Properties of Axially Loaded Wire Ropes, 24-30 (Jan.).
Craig, J. I.—Nondestructive Shell-stability Estimation by a Combined-loading Technique, 381-388 (Sept.).

Dalley, J. W.—On the Fiber-reinforced Birefringent Composite Materials, 348-349 (Aug.).
Dally, J. W.—Predicting Failures with Conducting-polymer Fatigue-damage Indicators, 7-13 (Jan.).
Daniel, I. M.—Stress and Failure Analysis of a Glass-Epoxy Composite Plate with a Circular Hole, 31-37 (Jan.).
Daniel, I. M.—Higher-order Numerical Differentiation of Experimental Information, 105-112 (March).
Daniel, I. M.—Strain Analysis of Composites by Moiré Methods, 246-252 (June).
Datta, P. K.—Buckling and Vibration of a Thin Tensioned Sheet with an Elliptical Hole, 280-286 (July).
Dittbenner, G. R.—The Application of Strip Strain Gages for Measuring Residual Surface Stresses in Beryllium, 493-496 (Nov.).
Dragnich, R. G.—A Sandwich-transducer Technique for Measurement of Internal Dynamic Stress, 199-203 (May).
Drucker, D. C.—Brittle Fracture of Precompressed Steel as Affected by Hydrostatic Pressure, Temperature and Strain Concentration, 1-6 (Jan.).
Duba, A. G.—Pressure Effects on the Response of Foil Strain Gages, 43-44 (Jan.).
Dudderar, T. D.—The Determination of Mode I Stress-intensity Factors by Holographic Interferometry, 145-149 (April).
Duggan, M. F.—Nondestructive Shell-stability Estimation by a Combined-loading Technique, 381-388 (Sept.).
Durelli, A. J.—Log-Art as a Means of Humanization, 232-237 (June).
Durelli, A. J.—Response of Epoxy Oversized Models of Strands To Axial and Torsional Loads, 313-321 (Aug.).
Durelli, A. J.—Normalized Stresses Around an Elliptic Hole in a Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading, 441-444 (Oct.).

Ellyin, F.—Elastoplastic Strain Distribution Around an Oblique Aperture in Plates, 305-312 (July).
Emori, R. I.—Scale Models of Automobile Collisions with Breakaway Obstacles, 64-69 (Feb.).
Evans, N. A.—Flow Separation Through Annular Constrictions in Tubes, 157-162 (April).

Fazio, P.—Moiré-fringe Measurement, 253-254 (June).
Fischer, E. G.—Comparison of Fatigue Effects in Simulated and Actual Earthquakes, 531-538 (Dec.).
Fitzgerald, J. E.—Nonlinear Characterization of Sand-asphalt Concrete by Means of Permanent-memory Norms, 504-510 (Dec.).
Flynn, P. D.—A Simple Transducer for Detecting Projectiles in Gun Barrels, 350-352 (Aug.).
Flynn, P. D.—Dual-beam Polariscope and Framing Camera for Dynamic Photoelasticity, 178-184 (April).
Francis, P. H.—Effect of End Attachment on the Strength of Fiber-reinforced Composite Cylinders, 185-192 (May).
Frishmuth, R. E.—The Effects of Out-of-phase Biaxial-strain Cycling on Low-cycle Fatigue, 204-209 (May).

Fuehring, H.—Discussion of "Stress Concentrations in Tensile Strips with Large Circular Holes" by R. G. Belie and F. J. Appl, 255-256 (June).
Fyfe, I. M.—An Examination of Dynamic Fracture under Biaxial-strain Conditions, 163-167 (April).

Gilbert, J. T.—A Simple Transducer for Detecting Projectiles in Gun Barrels, 350-352 (Aug.).
Glockner, P. G.—Experiments on Free Vibration of Shells of Revolution, 411-421 (Oct.).
Golia, C.—Flow Separation Through Annular Constrictions in Tubes, 157-162 (April).
Gorman, H. J.—The Determination of Mode I Stress-intensity Factors by Holographic Interferometry, 145-149 (April).
Green, S. J.—A Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic Composite, 172-176 (April).
Griffin, R. M.—A Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic Composite, 172-176 (April).
Grimes, G. C.—Effect of End Attachment on the Strength of Fiber-reinforced Composite Cylinders, 185-192 (May).
Guernsey, R.—An Electromagnetic, Plane Stress-wave Generator, 472-479 (Nov.).
Gupta, B. P.—Hole-drilling Technique: Modifications in the Analysis of Residual Stresses, 45-48 (Jan.).

Hageniers, O. L.—Diffractography vs. Holography—A Stress Analyst's Comparison, 220-224 (May).
Hawley, R. H.—Brittle Fracture of Precompressed Steel as Affected by Hydrostatic Pressure, Temperature and Strain Concentration, 1-6 (Jan.).
Hazell, C. R.—Vibration Analysis of Plates by Real-time Stroboscopic Holography, 339-344 (Aug.).
Heller, R. A.—Alleviation of the Stress Concentration with Analogue Reinforcement, 519-525 (Dec.).
Hunter, A. R.—A Photoelastic and Finite-element Investigation of a Nonsymmetrical Plug-hatch Configuration, 132-137 (March).

Ives, K. D.—Considerations for Instrumentation of Typical Dynamic Tests, 213-219 (May).

Jaisingh, G.—Dynamic Moiré Methods for the Bending of Plates, 168-169 (April).
Juang, R. M.—A Method To Shift Moiré Fringes Using Gap Effect, 209-211 (May).

Khalil, A. M.—Moiré-fringe Measurement, 253-254 (June).
Kingsbury, H. B.—A Method of Determining Complex Moduli of Viscoelastic Materials, 126-131 (March).
Kobayashi, A. S.—Viscoelastic Properties of Human Cornea, 497-503 (Nov.).
Kubler, H.—Probe for Measurement of Strains Inside Solid Bodies, 142-144 (March).

Laird, G. W.—A Method of Determining Complex Moduli of Viscoelastic Materials, 126-131 (March).
Lashkari, M.—Vibrations of Segmented Shells, 120-125 (March).
Laura, P. A.—Discussion of "Measuring Poisson's Ratios in Wood" by A. Sliker, 177 (April).
Laura, P. A.—Discussion of "Transient Stresses in Axisymmetric Bodies of Varying Area" by J. C. S. Yang and R. J. Hassett, 212 (May).
Lazar, B. E.—A Technique for Determination of Two-dimensional Joint Displacements, 86-87 (Feb.).
Leven, M. M.—The Interaction of Creep and Fatigue for a Rotor Steel, 353-372 (Sept.).
Liber, T.—Higher-order Numerical Differentiation of Experimental Information, 105-112 (March).
Liem, S. D.—Vibration Analysis of Plates by Real-time Stroboscopic Holography, 339-344 (Aug.).
Lopardo, V. J.—Normalized Stresses Around an Elliptic Hole in a Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading, 441-444 (Oct.).
Lyon, R. L.—Impact-force Source and Impact-force Calibrator, 257-264 (June).

Machida, S.—Response of Epoxy Oversized Models of Strands To Axial and Torsional Loads, 313-321 (Aug.).
MacKallor, D. C., Jr.—An Electromagnetic Plane Stress-wave Generator, 472-479 (Nov.).
Mair, R. I.—Spread of Yield with Mild Steel, 77-82 (Feb.).
Mehrotra, C. L.—Strain Measurements in Regions of High Strain Gradients, 345-347 (Aug.).
Menkes, S. B.—Broken Beams, 480-486 (Nov.).
Mortimer, R. W.—Elastic-wave Propagation in a Joined Cylindrical-Conical-Cylindrical Shell, 150-157 (April).
Morton, T. M.—Acoustic-emission Detection Techniques for High-cycle-fatigue Testing, 193-198 (May).

Newman, J. B.—Inelastic Column Buckling of Internally Pressurized Tubes, 265-272 (July).
North, W. P. T.—Diffractography vs. Holography—A Stress Analyst's Comparison, 220-224 (May).

Ohashi, Y.—Experimental Stress Analysis by Photo-rheologic Method, 287-293 (July).
Opat, H. J.—Broken Beams, 480-486 (Nov.).
Otomo, K.—Experiments on the Postbuckling Behavior of Circular Cylindrical Shells Under Hydrostatic Pressure, 299-304 (July).

Panizza, G. A.—Predicting Failures with Conducting-polymer Fatigue-damage Indicators, 7-13 (Jan.).
Parks, V. J.—Normalized Stresses Around an Elliptic Hole in a Finite Plate of Linear Material Subjected to Large Uniform In-plane Loading, 441-444 (Oct.).
Parks, V. J.—On the Limitations of Interferometric Methods in Three-dimensional Photoelasticity, 464-471 (Nov.).
Pierce, D. N.—Stresses Around Elliptic Holes in Circular Cylindrical Shells, 487-492 (Nov.).
Pih, H.—Three-dimensional Scattered-light Stress Analysis of Discontinuous Fiber-reinforced Composites, 294-298 (July).
Pipes, R. B.—On the Fiber-reinforced Birefringent Composite Materials, 348-349 (Aug.).
Post, D.—Strain Analysis of Composites by Moiré Methods, 246-252 (June).
Pryor, T. R.—Diffractography vs. Holography—A Stress Analyst's Comparison, 220-224 (May).

Rainey, J. H.—The Effect of Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, 422-432 (Oct.).
Ranganath, S.—An Improved Method of Triggering Oscilloscopes for Dynamic-strain Measurements, 397-400 (Sept.).
Reader, W. T.—Some Dynamic Properties of Axially Loaded Wire Ropes, 24-30 (Jan.).
Robertson, K. D.—The Effect of Strain Rate and Heat Developed During Deformation on the Stress-Strain Curve of Plastics, 422-432 (Oct.).
Rose, J. L.—On the Use of Photoelastic Composite Models, 59-63 (Feb.).
Rose, J. L.—Elastic-wave Propagation in a Joined Cylindrical-Conical-Cylindrical Shell, 150-157 (April).
Rosz, P. G.—Higher-order Numerical Differentiation of Experimental Information, 105-112 (March).
Rowlands, R. E.—Stress and Failure Analysis of a Glass-Epoxy Composite Plate with a Circular Hole, 31-37 (Jan.).
Rowlands, R. E.—Higher-order Numerical Differentiation of Experimental Information, 105-112 (March).
Rowlands, R. E.—Strain Analysis of Composites by Moiré Methods, 246-252 (June).

Sanford, R. J.—Differential Stress-Holo-Interferometry, 330-338 (Aug.).
Sanford, R. J.—On the Limitations of Interferometric Methods in Three-dimensional Photoelasticity, 464-471 (Nov.).
Sarma, A. V. S. S. S. R.—Determination of Integral Fringe Order in Photoelasticity, 138-141 (March).
Sathikh, S. M.—Discussion of "A Photomechanics Material for Elastoplastic Stress Analysis" by D. H. Morris and W. F. Riley, 389 (Sept.).
Schlegel, W. A.—Viscoelastic Properties of Human Cornea, 497-503 (Nov.).
Schmidt, R. M.—An Examination of Dynamic Fracture under Biaxial-strain Conditions, 163-167 (April).
Schock, R. N.—Pressure Effects on the Response of Foil Strain Gages, 43-44 (Jan.).
Schumann, W.—Some Aspects of the Optical Techniques for Strain Determination, 225-231 (June).
Sciammarella, C. A.—Experimental Investigation of the Failure Mechanism of Fiber-reinforced Composites Subjected to Uniaxial Tension, 49-58 (Feb.).
Sciammarella, C. A.—Response of Glass-fiber-reinforced Epoxy Specimens to High Rates of Tensile Loading, 433-440 (Oct.).
Shipman, F. H.—A Comparison of Quasi-static Uniaxial-strain and Hugoniot Tests for Quartz-phenolic Composite, 172-176 (April).
Sidebottom, O. M.—Evaluation of Multiaxial Theories for Room-temperature Plasticity and Elevated-temperature Creep and Relaxation of Several Metals, 14-23 (Jan.).
Sidebottom, O. M.—Evaluation of Finite-plasticity Theories for Torsion-Tension Members Made of Tresca Materials, 238-245 (June).
Singh, A. N.—Strain Measurements in Regions of High Strain Gradients, 345-347 (Aug.).
Skogh, J.—A Photoelastic and Finite-element Investigation of a Nonsymmetrical Plug-hatch Configuration, 132-137 (March).
Smith, C. W.—Use of Three-dimensional Photoelasticity in Fracture Mechanics, 539-544 (Dec.).
Smith, S.—Acoustic-emission Detection Techniques for High-cycle-fatigue Testing, 193-198 (May).
Snell, R. F.—An Electromagnetic, Plane Stress-wave Generator, 472-479 (Nov.).
Srinath, L. S.—Determination of Integral Fringe Order in Photoelasticity, 138-141 (March).
Staberg, L. G.—Viscoelastic Properties of Human Cornea, 497-503 (Nov.).
Sutliff, D. R.—Three-dimensional Scattered-light Stress Analysis of Discontinuous Fiber-reinforced Composites, 294-298 (July).

Taira, S.—X-ray-diffraction Approach for Studies on Fatigue and Creep, 449-463 (Nov.).
Tall, L.—Residual-stress Measurement by the Sectioning Method, 88-96 (Feb.).
Tawadros, K. Z.—Experiments on Free Vibration of Shells of Revolution, 411-421 (Oct.).
Tebedge, N.—Residual-stress Measurement by the Sectioning Method, 88-96 (Feb.).
Theocaris, P. S.—Stress Singularities at Concentrated Loads, 511-518 (Dec.).
Troke, R. W.—Trends in Flight-test Strain-gage Instrumentation, 445-448 (Oct.).
Tustin, W.—Basic Considerations for Simulation of Vibration Environments, 390-396 (Sept.).

Underwood, J. H.—Residual-stress Measurement Using Surface Displacements Around an Indentation, 373-380 (Sept.).

Vakili, J.—Nonlinear Characterization of Sand-asphalt Concrete by Means of Permanent-memory Norms, 504-510 (Dec.).
Vanderveldt, H. H.—Some Dynamic Properties of Axially Loaded Wire Ropes, 24-30 (Jan.).
Vasilakis, J. D.—Inelastic Behavior of Thick-walled Cylinders Subjected to Nonproportionate Loading, 113-119 (March).

Webster, E. A., Jr.—A Simple Transducer for Detecting Projectiles in Gun Barrels, 350-352 (Aug.).
Weingarten, V. I.—Vibrations of Segmented Shells, 120-125 (March).
Wells, A. A.—Fracture Control: Past, Present and Future, 401-410 (Oct.).
Whiteside, J. B.—Stress and Failure Analysis of a Glass-Epoxy Composite Plate with a Circular Hole, 31-37 (Jan.).
Whitney, J. M.—Effect of End Attachment on the Strength of Fiber-reinforced Composite Cylinders, 185-192 (May).
Wilhelmy, V.—Probe for Measurement of Strains Inside Solid Bodies, 142-144 (March).
Wolff, F. H.—Comparison of Fatigue Effects in Simulated and Actual Earthquakes, 531-538 (Dec.).

Yamaki, N.—Experiments on the Postbuckling Behavior of Circular Cylindrical Shells Under Hydrostatic Pressure, 299-304 (July).

Zamrik, S. Y.—The Effects of Out-of-phase Biaxial-strain Cycling on Low-cycle Fatigue, 204-209 (May).
Zaslawsky, M.—Multiaxial-stress Studies on Rigid Polyurethane Foam, 70-76 (Feb.).